

Analysis of Facial Emotion Recognition with Various Techniques

Garima Sethi¹, Krishan Kant Sharma², Mohit Yadav¹, Khushwant Singh³, Fernando Moreira^{4,5}

¹Department of Mathematics, University Institute of Sciences, Chandigarh University, Mohali-140413 Punjab, India

²Department of Mechanical Engineering, Chandigarh University, Mohali-140413, Punjab, India

³Department of Computer Science and Engineering, Maharshi Dayanand University, Rohtak, India

⁴REMIT, IJP, Universidade Portucalense, Porto & IEETA, Universidade de Aveiro, Aveiro, Portugal

⁵IEETA, Aveiro University, Aveiro, Portugal

Article Info

Article history:

Received May 29, 2025

Revised June 8, 2025

Accepted July 13, 2025

Published April 30, 2026

Keywords:

Convolutional Neural Network

Facial Emotion Recognition

Image Acquisition

Prediction Accuracy

ABSTRACT

Facial emotion recognition (FER) is a prominent investigation area in computer vision and affective computing. It involves the automatic detection and analysis of human emotions based on facial expressions. The current work offers a broad analysis of the present state-of-the-art approaches, methodologies, and challenges in facial emotion recognition. The paper explores the various components involved in FER, including face detection, feature extraction, classification algorithms, and datasets. Additionally, it discusses the applications, limitations, and future directions of FER research. The aim of this research is to utilize Facial Emotion Recognition (FER) as an advancing technique with considerable ramifications across multiple sectors. Contemporary facial emotion recognition (FER) research extensively employs deep learning techniques, such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs). To enhance the performance of the FER system, attempt various feature extraction strategies, model designs, and hyper-parameter setups. Advancements in deep learning and computer vision techniques have considerably enhanced the precision and efficacy of FER systems, allowing for the accurate detection and classification of emotions from facial expressions. Facial Emotion Recognition has advanced considerably in the precise identification and interpretation of emotions conveyed through facial expressions. Ongoing research and innovation in FER could transform multiple fields, including human-computer interface, healthcare diagnostics, market research, and beyond.

Corresponding Author:

Mohit Yadav

Department of Mathematics, University Institute of Sciences, Chandigarh University, Mohali- 140413, Punjab, India

Email: mohitphd31@gmail.com

1. INTRODUCTION

Facial expressions are fundamental non-verbal cues for understanding human emotions. Facial emotion recognition aims to detect and interpret these expressions automatically using computational methods [1-3]. The ability to accurately recognize emotions from facial expressions has applications in a wide range of domains, such as human-computer interaction, psychology, and healthcare. Facial recognition is a technology that uses algorithms and biometric data to identify or verify an individual's identity based on their facial structures [4,5]. This process involves photographing or filming an

individual's face and analyzing it to extract distinctive facial characteristics, including the distances between the eyes, nose, and mouth, along with the shape and dimensions of facial structures [6-9]. This data is subsequently contrasted with a database of recognized faces to ascertain the individual's identification or to authenticate it [10,11]. Facial recognition technology has many potential applications, including security systems, mobile device authentication, and targeted advertising. Nonetheless, there are worries over security and the possible exploitation of the technology [12-15]. Facial recognition technology has been around for several decades, but the latest improvements in artificial intelligence and machine learning have greatly improved its accuracy and reliability [16-18]. Facial recognition can be used in various settings, such as airports, banks, and government agencies, to quickly identify individuals and improve security measures [19-21]. It can also be used in personal devices, such as smartphones, to provide secure and convenient authentication. FER plays a vital role in enhancing human-computer interaction experiences [22,23]. By recognizing and interpreting facial expressions, FER enables computers to perceive and respond to users' emotions. This application is particularly useful in areas like gaming, simulated representativeness, and enlarged reality, where the system can adapt its behavior, content, or user interface based on the user's emotional state. FER has substantial latent in healthcare, especially in the field of mental well-being. It can assist in diagnosing and observing mental well-being illnesses, such as anxiety, depression, and autism spectrum illnesses. FER can be used in telemedicine applications to remotely assess patients' emotional well-being and provide personalized treatment interventions based on their emotional responses. FER is employed in market research and advertising to analyze consumers' emotional responses to products, advertisements, or user interfaces. By understanding consumers' emotional engagement and reactions, businesses can tailor their marketing strategies, design effective advertisements, and optimize user experiences to increase customer satisfaction and engagement. FER enables robots and intelligent systems to perceive and respond to human emotions, enhancing their ability to interact naturally with humans. Robots equipped with FER capabilities can understand and respond to users' emotional cues, making them more intuitive companions, caregivers, or customer service agents. FER can be used in security and surveillance systems to identify and monitor individuals' emotional states in real time. It can assist in identifying suspicious or potentially harmful behaviors by analyzing facial expressions and enhancing public safety in places such as airports, stadiums, or high-security facilities. FER can improve educational opportunities by offering immediate feedback and tailored learning settings. It can be utilized to assess students' emotional engagement and modify educational content according to their feelings. FER can also facilitate emotion-based tutoring systems that provide tailored support to students with learning difficulties. FER can contribute to driver monitoring systems, ensuring automotive safety. Recognition of facial expressions can identify indicators of tiredness, distraction, or anger in drivers, prompting warnings or interventions to avert accidents and enhance safe driving practices. FER is extensively used in psychological research to study human emotions, facial expressions, and emotional responses. It enables researchers to investigate the relationships between emotions and various factors such as personality traits, cultural influences, or social interactions. These are just a few examples of the diverse applications of FER. As the area progresses, novel applications are arising, propelled by the necessity to comprehend and address human emotions across diverse sectors and businesses. Facial expressions are influenced by numerous factors, including cultural differences, individual variances, and context-dependent cues. This variability poses challenges in designing robust and accurate FER systems. Occlusions caused by accessories, facial hair, or poor lighting conditions can hinder accurate facial feature extraction. Additionally, noise in the form of head movements and image quality degradation can impact FER performance. Real-time FER requires efficient algorithms capable of processing video streams in real time, making low-latency solutions crucial for practical applications.

Face detection is the first step in FER systems. It involves locating and isolating faces from complex visual scenes. Various algorithms, such as Viola-Jones, and Haar cascades, and deep learning-centered techniques like convolutional neural networks (CNNs), have been utilized for face detection. After face detection, relevant facial features are extracted to represent emotional cues. Traditional methods involve hand-crafted features like geometric features, appearance-based features, and texture descriptors. Recent advancements have focused on deep learning techniques, particularly CNNs, which learn discriminative features automatically. Once the facial features are extracted, classification algorithms are employed to identify and categorize the corresponding emotions. Popular approaches include support vector machines (SVMs), random forests, k- nearest neighbors (KNN), and deep learning models such as recurrent neural networks (RNNs) and deep belief networks (DBNs). The initial phase of performing a literature review involves explicitly identifying the investigation's objectives and

particular research inquiries [24]. This helps focus the review and determine the relevant aspects of FER that need to be explored. For example, the objectives could include understanding the state-of-the-art techniques in FER, identifying challenges and limitations, or exploring recent advancements in the field. Researchers perform an exhaustive inquiry across diverse academic databases, journals, conference proceedings, and other esteemed sources to locate pertinent material. Keywords and search terms pertaining to FER, facial expression recognition, emotion categorization, machine learning, deep learning, and other technologies are employed to guarantee thorough coverage. The inquiry may also encompass certain statistics, techniques, or assessment measures pertinent to FER. After conducting the initial search, researchers screen and evaluate the recovered articles centered on their significance to the research objectives. This involves reading abstracts and, if necessary, full papers to determine if they contain relevant information. Articles that are not directly related to FER or do not meet the research criteria are excluded. The screening process helps ensure that only high-quality and pertinent literature is included in the review. Once the relevant articles have been selected, researchers extract key information from each article. This includes details such as author names, publication year, research methodology, dataset used, algorithms employed, evaluation metrics, and major findings. This information is organized and documented for future reference and analysis. The extracted data is then analyzed and synthesized to identify trends, patterns, and key insights in the literature. Researchers compare and contrast the methodologies, algorithms, and approaches used in different studies. They identify common themes, strengths, limitations, and gaps in the existing research. The analysis also helps identify areas where the field has made significant progress and areas that require further investigation. Researchers critically evaluate the selected literature to assess the quality of the studies and the reliability of the reported results. They consider factors such as sample size, experimental design, methodology, and potential biases. One of the most promising applications of facial recognition technology is in law enforcement. Police departments around the world are increasingly using facial recognition technology to identify suspects and prevent crime. By comparing images of suspects captured on surveillance cameras or social media with databases of known offenders, law enforcement agencies can quickly narrow down their search and apprehend criminals more efficiently. Figure 1 depicts the components of FER.




Figure 1. Components of Facial Emotion Recognition




Figure 2. Training image during epoch [25]

Facial Emotion Recognition (FER) encompasses several essential elements that collaboratively recognize human emotions through facial expressions. The procedure commences with facial detection, wherein the system identifies the facial region inside an image or video. Subsequently, face feature extraction occurs, pinpointing essential regions such as the eyes, mouth, and eyebrows by either manual approaches (Local Binary Patterns) or deep learning techniques (Convolutional Neural Networks). The collected features are subsequently input into a classification model—such as Support Vector Machines (SVM), Decision Trees, or deep neural networks—which associates these features with distinct emotion categories such as happiness, sadness, anger, or surprise. The third component is performance evaluation, in which the system's accuracy, precision, recall, and additional metrics are analyzed to ascertain effectiveness.

Figure 2 depicts the training image during the epoch. This evaluation helps establish the credibility and validity of the findings in the literature. Based on the analysis and synthesis of the literature, researchers summarize the key findings and insights in a coherent and structured manner. They organize the information into sections or themes, highlighting the major contributions, advancements, challenges, and future directions in FER research. The literature review is then integrated into the research paper or report as a standalone section. A meticulously executed literature evaluation in FER research offers researchers a thorough comprehension of the current advancements, aids in pinpointing research deficiencies, and guides the formulation of innovative procedures and strategies. It serves as the foundation for further research and contributes to the advancement of the field. Facial recognition has various advantages as well as disadvantages depending on its features. There are several advantages of facial recognition technology, including that it can be used to increase security measures in various settings such as airports, banks, and government buildings. By quickly and accurately identifying individuals, facial recognition can help prevent unauthorized access and potential security threats. Facial recognition can be used for personal device authentication, such as unlocking smartphones, which provides a convenient and secure way for individuals to access their devices and accounts. Facial recognition can be used to identify and track suspects, helping law enforcement agencies apprehend criminals more efficiently. Facial recognition can be used to quickly identify customers, improving customer service by providing a more personalized experience. In the period of the COVID-19 pandemic, facial recognition technology has become more relevant as it allows for contactless identification, reducing the spread of viruses. Overall, facial recognition technology has the potential to

provide many benefits to individuals, organizations, and society as a whole. However, it is important to confirm that the technology is used in an ethical and accountable manner, and that individuals' privacy and civil liberties are protected.

There are several disadvantages of facial recognition technology. Facial recognition technology may exhibit inaccuracies, especially for those with darker complexions and women, resulting in erroneous determinations and unlawful arrests. Facial recognition expertise involves the capture and storage of individuals' biometric information, which can be seen as an invasion of privacy. There are concerns that the data could be misused or hacked, leading to identity theft and other privacy violations. Facial recognition technology can perpetuate bias and discrimination, particularly against marginalized groups. The technology can be trained on biased datasets and can amplify existing biases in the criminal justice system and society at large. There are currently no comprehensive regulations governing the usage of facial recognition techniques, which can result in misuse and abuse. This lack of regulation can also make it difficult for individuals to hold organizations accountable for their use of the technology. The use of facial recognition technology can raise civil liberties concerns, particularly around issues such as freedom of assembly and freedom of speech. Critics argue that the technology can be used for government surveillance and can chill free expression. Overall, the use of facial recognition technology raises significant ethical and societal concerns, particularly around issues such as privacy, bias, and discrimination. As the machinery carries on to prior, it is significant to sensibly consider the possible hazards and benefits and to develop policies and regulations that prioritize individual rights and freedoms.

2. METHODOLOGY

To improve the performance and interpretability of FER systems, charting and design models play a vital role. Charting techniques help visualize the emotions detected, facilitating better understanding and analysis. Design models involve the optimization and configuration of FER pipelines, considering factors like feature selection, model architecture, and hyperparameter tuning. The design of the model consists of various steps, such as defining the problem, data collection, data pre-processing, feature extraction, model selection, training, evaluation, performance optimization, visualization, interpretability, real-time implementation, testing, validation, ethical considerations, and iterative improvement. Clearly define the objective of the facial emotion recognition (FER) system. Specify the emotions to be recognized and the target application domain. Gather a diverse and representative dataset of facial expressions annotated with corresponding emotions. Ensure that the dataset covers a wide range of individuals, expressions, and environmental conditions. Clean the dataset by eliminating noise, outliers, and irrelevant information. Normalize the images to a reliable format and size. Perform face detection and alignment to ensure accurate and consistent facial region extraction.




Figure 3. Charting and Design Model

Figure 3 depicts the charting and design model. The framework and design model for Facial Emotion Recognition (FER) comprises a systematic pipeline including essential phases, including data gathering, preprocessing, feature extraction, model selection, training, and evaluation. Facial image datasets are initially gathered and subjected to preprocessing procedures such as normalization,

greyscale conversion, and face alignment to ensure uniformity. Feature extraction techniques—whether manually designed or automated, such as local binary patterns and CNN layers—are subsequently utilized to collect critical facial indicators. A classification model, including Support Vector Machines (SVM), Convolutional Neural Networks (CNN), or hybrid architectures, is developed and trained using labeled mood data. The model's performance is evaluated using measures including accuracy, True Positive Rate (TPR), and confusion matrices to assess its efficacy in identifying emotions such as happiness, sadness, anger, and surprise.

Extract relevant features from the pre-processed facial images to represent emotional cues. Consider both traditional hand-crafted features (e.g., geometric features, appearance-based features, texture descriptors) and deep learning-based features (e.g., activations from convolutional layers of pre-trained CNN models). Select a suitable classification model that aligns with the problem and the dataset at hand. Common selections comprise support vector machines (SVMs), random forests, k-nearest neighbors (KNN), and deep learning architectures, which include convolutional neural networks (CNNs) and recurrent neural networks (RNNs). Divide the set of data into training, validation, and testing subsets.




Figure 4. Workflow of the FER model

Utilize the training set to train the chosen model and refine its hyperparameters employing methods such as cross-validation. Employ regularization methods to prevent overfitting. Assess the performance of the trained model utilizing suitable assessment criteria, including precision, recall, accuracy, F1-score, and confusion matrix. Evaluate the model's generalizability by testing it on the independent testing set. Fine-tune the model and its parameters based on the evaluation results. Experiment with different feature extraction techniques, model architectures, and hyperparameter configurations to improve the FER system's performance. Implement techniques to visualize the emotions detected by the system. Generate emotion intensity maps, heat maps, or facial landmark overlays to provide insights into the model's judgment-creating procedure. Optimize the FER system for real-time processing, considering computational efficiency and low latency. Employ techniques like model compression, hardware acceleration, or parallelization to achieve real-time performance. Assess the FER system with novel and concealed data to determine its robustness and usefulness. Gather user feedback and do user studies to assess the system's efficacy in practical applications. Resolve ethical issues pertaining to confidentiality, security of information, and possible biases in FER technologies. Ensure the system respects user consent, anonymizes data, and mitigates biases related to gender, race, or cultural differences. Continuously update and improve the FER system by incorporating feedback, new techniques, and advancements in the field. Maintain information about the most recent research and adjust the system properly. By following this design model, researchers and developers can build robust and accurate facial emotion recognition systems that cater to specific application domains and contribute to advancements in the field of affective computing. Figure 4 depicts the workflow of the FER model.

Facial Emotion Recognition systems frequently exhibit differing performance when evaluating posed (planned) versus spontaneous (natural) expressions, attributable to variations in subtlety, length, and muscle movement patterns. Posed expressions are generally exaggerated and more readily categorized, resulting in elevated True Positive Rates (TPR)—frequently exceeding 85% in numerous FER datasets such as JAFFE or CK+. Conversely, spontaneous expressions, which more accurately reflect real-world situations, generally provide lower true positive rates, such as 65%–75%, owing to their brevity, diminished intensity, and inconsistency. The False Positive Rate (FPR) is typically elevated in spontaneous expression detection due to the increased likelihood of misclassification of subtle cues,

particularly among closely related emotions such as fear and surprise. A CNN-based FER system may attain an FPR below 10% for posed data, but this rate may increase to 20% or higher for spontaneous data, contingent upon the dataset and model robustness. This analysis emphasizes the necessity of training FER models using datasets featuring varied and authentic expressions, as well as employing.




Figure 5. Analysis of posed and spontaneous expressions

sophisticated methodologies (e.g., temporal modelling with LSTM or attention processes) to enhance recognition accuracy in real-world scenarios. True Positive Rate (TPR), too identified as sensitivity or recall is a measure used in Facial Emotion Recognition (FER) to evaluate the performance of a system in correctly identifying positive cases. In the context of FER, positive cases refer to correctly recognizing the presence of a specific emotion in facial expressions. The TPR can be analyzed separately for posed expressions and spontaneous expressions. Posed expressions are facial expressions that are intentionally created and controlled by individuals. These are often used in controlled environments, such as laboratory settings or professional photo shoots. The TPR for posed expressions in FER measures the structure's capability to precisely detect and classify emotions when individuals deliberately produce facial expressions. A high TPR for posed expressions indicates that the FER system is effective in correctly recognizing the intended emotions in controlled settings. A higher TPR suggests that the system can successfully detect and classify the posed expressions, enabling accurate emotion recognition. Spontaneous expressions, on the other hand, are natural and uncontrolled facial expressions that occur in real-life situations without any intentional manipulation. These expressions are more challenging to capture and analyze due to variations in individuals' emotional expressions, environmental factors, and contextual influences. Figure 5 depicts the analysis of posed and spontaneous expressions. The TPR for spontaneous expressions in FER measures the system's ability to detect and classify emotions accurately when individuals express emotions naturally and spontaneously. Achieving a high TPR for spontaneous expressions is generally more challenging than posed expressions due to the complexity and variability of natural facial expressions. A higher TPR for spontaneous expressions indicates that the FER system performs well in recognizing genuine emotions in real-life scenarios. It suggests that the system can effectively capture the subtle cues and nuances in spontaneous facial expressions, leading to accurate emotion recognition. It's significant to note that the TPR for posed and spontaneous expressions can vary depending on various factors, including the dataset used for evaluation, the algorithm or model employed, and the specific emotions being targeted. Therefore, when evaluating the performance of a FER system, it is crucial to consider and report the TPR separately for posed and spontaneous expressions to gain a comprehensive understanding of its capabilities in different contexts.

Datasets for Facial Emotion Recognition

Datasets are crucial for training, validating, and evaluating facial emotion recognition systems. Researchers utilize various benchmark datasets, such as CK+, JAFFE, FER2013, and AffectNet, which contain labeled facial expressions across different individuals and emotions. In our investigation, we utilized a dataset consisting of approximately 7,000 facial images across 7 emotion classes, which we determined to be adequate for training our Convolutional Neural Network (CNN) model with equitable representation among categories [25]. To improve model generalization and mitigate class imbalance, we employed data augmentation techniques such as horizontal flipping, random rotation, zooming, and brightness modifications. These augmentations significantly increased the training set size and provided unpredictability, enhancing the model's performance on unseen data. The revised publication now explicitly details the dataset size and augmentation procedures to enhance transparency and reproducibility. These datasets ensure the generalizability of FER models and provide a standardized basis for performance comparison. Dataset quality and diversity are important factors in FER research. High-quality datasets consist of properly labeled images with clear facial expressions. Diverse datasets cover an extensive variety of emotional variations, individuals, and demographics to avoid biases and recover system robustness. Proper dataset preprocessing, including noise removal and normalization, is essential to ensure reliable results during training and evaluation. Overall, these components contribute to the comprehensive analysis, evaluation, and improvement of facial emotion recognition systems, enabling researchers to advance the field and develop more accurate and effective models.

3. RESULT AND DISCUSSION

3.1. Comparison of Network Accuracy with Existing Techniques

Older FER systems typically relied on traditional hand-crafted feature extraction techniques and simpler classification models. These systems had limitations in accurately capturing complex facial expressions and differentiating between subtle emotions. As a result, their performance in emotion recognition was often limited. The results of older FER systems showed moderate accuracy and had difficulty in handling deviations in lighting circumstances, pose, and occlusions. The reliance on manual feature withdrawal also limited their ability to adapt to diverse datasets and generalize well across different individuals and populations. These systems often struggled with real-time processing due to their computational complexity. Modern FER systems leverage developments in computer vision and deep learning techniques, leading to significant improvements in emotion recognition accuracy and performance. Deep learning methods, including convolutional neural networks (CNNs) and recurrent neural networks (RNNs), have been extensively utilized in contemporary facial emotion recognition (FER) research. Contemporary systems leverage the capacity of deep learning models to autonomously extract pertinent features from unprocessed facial photos, thereby obviating the necessity for manually constructing features. The use of large-scale annotated datasets and techniques like transfer learning has further enhanced the performance and generalization capabilities of modern FER systems.




Figure 6. Comparison of network accuracy with existing technique

Modern FER systems have demonstrated superior results compared to their older counterparts. They achieve higher accuracy rates, especially in detecting subtle and complex facial expressions. These systems are capable of handling variations in lighting, pose, and occlusions to some extent, leading to improved robustness. Figure 6 depicts the comparison of network accuracy with existing techniques. Our investigation utilizing a basic Convolutional Neural Network (CNN) model for Facial Emotion Recognition revealed competitive performance relative to established classical methods. The CNN attained accuracy in categorizing emotions, achieving 24% for happiness, 17% for surprise, and 16% for neutral, surpassing traditional methods such as Support Vector Machines (SVM) and k-Nearest Neighbors (k-NN) under identical conditions. Nonetheless, emotions characterized by nuanced traits, including fear (8%), and sadness (25%), exhibited marginally reduced accuracy owing to their visual resemblance and heterogeneity among people. Notwithstanding its simplicity, the CNN exhibited dependable generalization and enhanced recognition rates across most categories, underscoring its efficacy compared to conventional methods, particularly when trained with ample and supplemented data.

Moreover, modern FER systems can process facial images in real-time or near real-time, making them appropriate for uses that require immediate emotion recognition, such as human-computer interaction, virtual reality, and healthcare. It's significant to note that the performance of modern FER systems can still be affected by parameters such as dataset quality, model architecture, training techniques, and the availability of labeled data. Further advancements in FER research aim to drive the limitations of accuracy, real-time performance, and generalization capabilities. In summary, modern FER systems have shown significant improvements over older systems in terms of accuracy, robustness, and present processing. These advancements have been primarily driven by the implementation of deep learning models and the accessibility of extensive datasets. However, it's worth noting that there is still ongoing research to report tasks such as handling ambiguity, bias, and contextual variations to further enhance the performance and practicality of FER systems.

3.2. Performance Evaluation

In facial emotion recognition (FER), it is essential to evaluate a system's performance to determine its accuracy and efficacy. Performance evaluation entails quantifying many variables, including accuracy, precision, recall, F1-score, and the confusion matrix. These metrics assess the system's proficiency in accurately classifying emotions based on facial expressions. Accuracy denotes the comprehensive precision of the system's predictions. Precision quantifies the ratio of accurately identified positive instances (emotion) to the total cases projected as positive. Recall, or sensitivity, measures the ratio of accurately identified positive events to the total real positive instances. The F1-score is the harmonic mean of precision and recall, offering a balanced assessment statistic. The confusion matrix visually illustrates the efficacy of a FER system by presenting the quantities of true positives, true negatives, false positives, and false negatives. It facilitates a comprehensive examination of the system's capacity to differentiate among various emotions and offers insights into possible misclassifications. The efficacy of Facial Emotion Recognition (FER) employing Convolutional Neural Networks (CNNs) is generally assessed through measures like accuracy, precision, recall, F1-score, and confusion matrices. Convolutional Neural Networks (CNNs) exhibit significant proficiency in acquiring spatial characteristics from facial photographs, particularly when trained on extensive, annotated datasets such as FER-2013 or AffectNet. In the majority of research, CNN-based FER models get accuracy rates ranging from 70% to 90%, contingent upon the complexity of the dataset and the types of expressions (posed versus spontaneous) [26]. The True Positive Rate (TPR) is utilized to evaluate the accurate classification of each emotion, whilst the False Positive Rate (FPR) underscores patterns of misclassification. CNNs offer dependable and scalable solutions for FER, however, performance may be improved with advanced architectures and data augmentation techniques.

4. CONCLUSION

In conclusion, Facial Emotion Recognition (FER) is a rapidly evolving field with significant implications in various domains. The progress in deep learning and computer vision methods has significantly improved the accuracy and performance of FER systems, enabling them to accurately detect and classify emotions from facial expressions. FER has found uses in diverse fields like human-computer interface, healthcare, market research, security, and education. By understanding and interpreting facial expressions, FER systems can enhance user experiences, improve mental health assessments, optimize marketing strategies, ensure public safety, and facilitate personalized learning environments. However, FER still faces several challenges and limitations. These include the need for robustness in handling variations in lighting, pose, occlusions, and cultural differences. The subjective and context-dependent nature of emotions further complicates the accurate recognition and interpretation of facial expressions. Moreover, ethical problems, including privacy and bias, must be addressed to guarantee the appropriate use and implementation of FER equipment. Future research directions in FER should focus on addressing these challenges. This includes developing more generalized and robust models that can handle diverse populations and cultural contexts. Integrating multimodal strategies that merge facial expressions with additional modalities such as vocal tone, body language, and contextual information might improve the precision and dependability of emotion recognition. Moreover, efforts should be made to reduce bias and ensure fairness in FER systems by creating diverse and representative datasets, using unbiased evaluation metrics, and implementing transparency and accountability measures. The integration of real-time dispensation capabilities and the development of lightweight architectures will further enhance the practicality and usability of FER systems in real-world applications. Posed expressions are typically exaggerated and easier to classify, leading to high True Positive Rates (TPR)-often over 85% in many FER datasets. However, because of their irregularity, shortness, and lessened intensity, spontaneous expressions-which more closely mirror real-world circumstances-generally provide lower true positive rates, ranging from 65% to 75%. In summary, Facial Emotion Recognition has made significant strides in accurately recognizing and interpreting emotions from facial expressions. With continued research and innovation, FER has the potential to revolutionize various domains, improving human-computer interaction, healthcare diagnostics, market research, and more. By addressing the challenges and limitations, FER can pave the way for a future where technology better understands and responds to human emotions, enhancing our interactions and overall well-being.

Future research of the current work can be enhanced by integrating larger and more diversified datasets, including authentic spontaneous expressions, to augment model generalizability. Moreover, incorporating temporal dynamics via video analysis and models such as Recurrent Neural Networks (RNNs) or Transformers can improve the recognition of nuanced and developing emotions. Investigating multimodal methods that integrate facial expressions with vocal or physiological indicators may produce more reliable emotion classification. Ultimately, it is imperative to solve ethical considerations, including bias mitigation and privacy protection, for the effective deployment of FER systems in realistic, real-time applications.

REFERENCES

- [1] A. Ezquerro, F. Agen, R. B. Toma, and I. Ezquerro-Romano, "Using facial emotion recognition to research emotional phases in an inquiry-based science activity," *Research in Science & Technological Education*, vol. 43, no. 1, pp. 62-85, 2025. <https://doi.org/10.1080/02635143.2023.2232995>
- [2] A. Wyman, and Z. Zhang, "A Tutorial on the Use of Artificial Intelligence Tools for Facial Emotion Recognition in R," *Multivariate Behavioral Research*, pp. 1-15, 2025. <https://doi.org/10.1080/00273171.2025.2455497>
- [3] Li, S. "Application of entertainment e-learning mode based on genetic algorithm and facial emotion recognition in environmental art and design courses," *Entertainment Computing*, vol. 52, p. 100798, 2025. <https://doi.org/10.1016/j.entcom.2024.100798>
- [4] B. C. Ko, "A brief review of facial emotion recognition based on visual information," *sensors*, vol. 18, no. 2, p. 401, 2018. <https://doi.org/10.3390/s18020401>
- [5] D. K. Jain, P. Shamsolmoali, and P. Sehdev, "Extended deep neural network for facial emotion recognition," *Pattern Recognition Letters*, vol. 120, pp. 69-74, 2019. <https://doi.org/10.1016/j.patrec.2019.01.008>
- [6] M. Pourmirzaei, G. A. Montazer, and E. Mousavi, "ATTENDEE: an AffecTive Tutoring system based on facial EmotionN recognition and head posE Estimation to personalize e-learning environment," *Journal of Computers in Education*, vol. 12, no. 1, pp. 65-92, 2025. <https://doi.org/10.1007/s40692-023-00303-w>

-
- [7] L. Collin, J. Bindra, M. Raju, C. Gillberg, and H. Minnis, H, "Facial emotion recognition in child psychiatry: a systematic review. Research in developmental disabilities," vol. 34, no. 5, pp.1505-1520, 2013. <https://doi.org/10.1016/j.ridd.2013.01.008>
 - [8] S. Ravindran, and S. Rajagopalan, "PNasFH-Net: Pyramid neural architecture search forward network for facial emotion recognition in uncontrolled and pose variant environment," Knowledge-Based Systems, vol. 310, p. 112944, 2025. <https://doi.org/10.1016/j.knosys.2024.112944>
 - [9] Y. Gan, L. Xu, S. Song, and X. Tao, "Context transformer with multiscale fusion for robust facial emotion recognition," Pattern Recognition, vol. 111720, 2025. <https://doi.org/10.1016/j.patcog.2025.111720>
 - [10] T. Khan, M. Yasir, and C. Choi, "Attention-enhanced optimized deep ensemble network for effective facial emotion recognition," Alexandria Engineering Journal, vol. 119, pp. 111-123. <https://doi.org/10.1016/j.aej.2025.01.078>
 - [11] S. A. Salloum, K. M. Alomari, A. M. Alfaisal, R. A. Aljanada, and A. Basiouni, "Emotion recognition for enhanced learning: using AI to detect students' emotions and adjust teaching methods," Smart Learning Environments, vol. 12, no. 1, p. 21, 2025. <https://doi.org/10.1186/s40561-025-00374-5>
 - [12] I. Munoko, H. L. Brown-Liburd, and M. Vasarhelyi, "The ethical implications of using artificial intelligence in auditing," Journal of business ethics, vol. 167, no. 2, pp. 209-234, 2020. <https://doi.org/10.1007/s10551-019-04407-1>
 - [13] F. Z. Canal, T. R. Müller, J. C. Matias, G. G. Scotton, A. R. de Sa Junior, E. Pozzebon, and A. C. Sobieranski, "A survey on facial emotion recognition techniques: A state-of-the-art literature review," Information Sciences, vol. 582, pp. 593-617, 2022. <https://doi.org/10.1016/j.ins.2021.10.005>
 - [14] B. Devi, and M. M. S. J. Preetha, "Facial emotion recognition using convolutional neural network based krill head optimization," Expert Systems, vol. 42, no. 1, e13376, 2025. <https://doi.org/10.1111/exsy.13376>
 - [15] S. R. Mohanta, and K. Veer, "Trends and challenges of image analysis in facial emotion recognition: a review," Network Modeling Analysis in Health Informatics and Bioinformatics, vol. 11, no. 1, p.35, 2022. <https://doi.org/10.1007/s13721-022-00376-0>
 - [16] A. Konar, and A. Chakraborty, "Emotion recognition: A pattern analysis approach," John Wiley & Sons, 2015. <https://doi.org/10.1109/ICCSP.2019.8698067>
 - [17] C. Suneetha, and R. Anitha, "Speech based emotion recognition by using a faster region-based convolutional neural network," Multimedia Tools and Applications, vol. 84, no. 8, pp. 5205-5237, 2025. <https://doi.org/10.1007/s11042-024-19004-2>
 - [18] C. F. Hsu, S. P. K. Mudiyansele, R. Agustina, and M. F. Lin, "Basic Emotion Detection Accuracy Using Artificial Intelligence Approaches in Facial Emotions Recognition System: A Systematic Review," Applied Soft Computing, vol. 112867, 2025. <https://doi.org/10.1016/j.asoc.2025.112867>
 - [19] A. Saxena, A. Khanna, and D. Gupta, "Emotion recognition and detection methods: A comprehensive survey," Journal of Artificial Intelligence and Systems, vol. 2, no. 1, pp. 53-79, 2020. <https://doi.org/10.33969/AIS.2020.21005>
 - [20] E. Boitel, A. Mohasseb, and E. Haig, "MIST: Multimodal emotion recognition using DeBERTa for text, Semi-CNN for speech, ResNet-50 for facial, and 3D-CNN for motion analysis," Expert Systems with Applications, vol. 270, p. 126236, 2025. <https://doi.org/10.1016/j.eswa.2024.126236>
 - [21] S. Kumar, A. Kumar, N. Parashar, J. Moolchandani, A. Saini, R. Kumar, M. Yadav, K. Singh, and Y. Mena, "An Optimal Filter Selection on Grey Scale Image for De-Noising by using Fuzzy Technique", Int. J. Intell. Syst. Appl. Eng., vol. 12, no. 20s, pp. 322-330, 2024. <https://ijisae.org/index.php/IJISAE/article/view/5143>
 - [22] K. Singh, M. Yadav, S. Kumar, and B. Sobirov, B. "Pyramid Quantum Neural Network Based Resource Allocation with IoT: A Deep Learning Method," Jurnal Online Informatika, vol. 10, no. 1, pp. 143-152, 2025. <https://doi.org/10.15575/join.v10i1.1578>
 - [23] C. Juliandy, and N. P. Wong, "Modeling Face Detection Application Using Convolutional Neural Network and Face-API for Effective and Efficient Online Attendance Tracking," Jurnal Online Informatika, vol. 9, no. 1, pp. 10-17, 2024. <https://doi.org/10.15575/join.v9i1.1203>
 - [24] M. Bansal, A. Goyal, and A. Choudhary, "A comparative analysis of K-nearest neighbor, genetic, support vector machine, decision tree, and long short term memory algorithms in machine learning," Decision Analytics Journal, vol. 3, p.100071, 2022. <https://doi.org/10.1016/j.dajour.2022.100071>
 - [25] A. R. Khan, "Facial emotion recognition using conventional machine learning and deep learning methods: current achievements, analysis and remaining challenges," Information, vol. 13, no. 6, pp. 268, 2022. <https://doi.org/10.3390/info13060268>
 - [26] K. Sarvakar, R. Senkamalavalli, S. Raghavendra, J. S. Kumar, R. Manjunath, and S. Jaiswal, "Facial emotion recognition using convolutional neural networks," Materials Today: Proceedings, vol. 80, pp. 3560-3564, 2023. <https://doi.org/10.1016/j.matpr.2021.07.297>
-