

**From  
Vernacular  
to World  
Heritage**


*edited by*  
LETIZIA DIPASQUALE  
SAVERIO MECCA  
MARIANA CORREIA



### Ricerche. Architettura, Pianificazione, Paesaggio, Design

Firenze University Press, in collaboration with the Department of Architecture of the University of Florence, promotes and supports the series *Ricerche. Architettura, Pianificazione, Paesaggio, Design*. This initiative aims to offer a contribution to national and international research on the project in all its dimensions, both theoretical and operational. The volumes of the series are evaluated according to renowned best practices at an international level and collect the research results of scholars from the University of Florence and from other national and international institutions.

*Ricerche. Architettura, Pianificazione, Paesaggio, Design* fully supports Open Access publishing as an ideal tool to share ideas and knowledge in every research field with an open, collaborative and non-profit approach. Open Access books and book chapters allow the research community to achieve a high research impact as well as rapid dissemination in any editorial form.



**Website:** <https://esg.pt/3dpast/>

**Platform:** <https://esg.pt/3dpast/platform/>

**App: 3DPAST**  
available at App Store and Google Play

*download the app to browse the Augmented Reality contents of the book*

**3DPAST Augmented Reality tag**



video



images gallery



3D interactive model

This publication is the result of the project '**3DPAST - Living & virtual visiting European World Heritage**' [Grant Agreement Ref No570729-CREA-1-2016-1-PT-CULT-COOP1], co-funded by the European Union (2016-2020), under the programme Creative Europe.

The European Commission support for the production of this publication does not constitute endorsement of the contents which reflects the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.

This collective work gathers three European university institutions and integrates contributions from the project leader and the project partners. In addition to the Editors, the main contributors are:



**Project Leader**

**ESG / Escola Superior Gallaecia, Vila Nova de Cerveira, Portugal**

Project Leader and Director:  
Mariana Correia

Scientific advisors: Gilberto Duarte Carlos, José Vicente, Teresa Correia, Coreti Sousa, Mónica Alcindor, Rui Florentino, Damião Matos, Henrique Silva, Emilia Simão, Ana Lima, Luís Paulo Pacheco

Researchers: Teresa Bermudez, Marco Mourão, Sandra Rocha, Jacob Merten



**Project Partners**

**Università degli Studi di Firenze, DIDA Dipartimento di Architettura, Italy**

Director: Saverio Mecca

Scientific advisors: Letizia Dipasquale, Alessandro Merlo, Massimo Carta, Stefano Galassi, Giorgio Verdiani

Researchers: Lucia Montoni, Francesco Frullini, Alessandra Manzi, Gaia Lavoratti, Luciano Giannone, Enrico La Macchia



**Universitat Politècnica de València, Escuela Técnica Superior de Arquitectura, Spain**

Directors: Fernando Vegas, Camilla Mileto

Scientific advisors: Valentina Cristini, Lidia García Soriano, Maria Diodato, Juan María Songel, Guillermo Guimaraens, José Luis Baró, Yolanda Hernández

Researchers: Matilde Caruso, Alicia Hueto, María Lidón

**3DPAST Administrative coordinator and Proof reader:** Sandra Rocha e Sousa

**3DPAST logo design:** Teresa Correia, CI-ESG, Escola Superior Gallaecia

With the Support of



International Council on Monuments and Sites



Chaire Unesco *Architecture de terre, cultures constructives et développement durable*



International Committee of Vernacular Architecture ICOMOS-CIAV



International Scientific Committee on Earthen Architectural Heritage ICOMOS-ISCEAH



International Committee of Architectural Photogrammetry ICOMOS-CIPA

*edited by*  
LETIZIA DIPASQUALE  
SAVERIO MECCA  
MARIANA CORREIA

# From Vernacular to World Heritage

Firenze University Press  
2020

From Vernacular to World Heritage / edited by Letizia Dipasquale, Saverio Mecca, Mariana Correia. – Firenze : Firenze University Press, 2020.  
(Ricerche. Architettura, Pianificazione, Paesaggio, Design ; 5)

<https://www.fupress.com/isbn/9788855182935>

ISBN 978-88-5518-292-8 (print)  
ISBN 978-88-5518-293-5 (PDF)  
ISBN 978-88-5518-254-6 (XML)  
DOI 10.36253/978-88-5518-293-5


<b>Introduction</b>	<b>7</b>
<b>Vernacular and earthen architecture at the core of local knowledge research: a quality partnership with successful outcomes</b>	<b>8</b>
Mariana Correia, Gilberto Duarte Carlos, Letizia Dipasquale, Saverio Mecca, Camilla Mileto, Fernando Vegas	
<b>The challenges of vernacular architecture</b>	<b>12</b>
Toshiyuki Kono	
<b>A heritage of reconciliation and of linkage between nature and culture</b>	<b>14</b>
Hubert Guillaud	
<b>Vernacular architecture in the World Heritage list</b>	<b>18</b>
Luis Fernando Guerrero Baca	
<b>Living and virtual visiting European World Heritage: an overview</b>	<b>24</b>
Mariana Correia	
<b>Vernacular World Heritage. A discovery through 3 dimensions</b>	<b>31</b>
<b>Crossing dimensions and components in vernacular architecture research</b>	<b>32</b>
Mariana Correia, Gilberto Duarte Carlos, José Vicente, Teresa Correia, Sandra Rocha e Sousa	
<b>Discovering vernacular heritage and its tangible dimensions</b>	<b>38</b>
Gilberto Duarte Carlos, Mariana Correia, Letizia Dipasquale, Saverio Mecca	
<b>Understanding the dimension of historical evolution</b>	<b>44</b>
Fernando Vegas, Camilla Mileto, Maria Diodato, Juan María Songel González	
<b>Valuing and codifying intangible knowledge</b>	<b>52</b>
Fernando Vegas, Camilla Mileto, Alicia Hueto, María Lidón	
<b>Enhancing vernacular World Heritage through digital technology and multimedia tools</b>	<b>60</b>
Alessandro Merlo, Gaia Lavoratti, Letizia Dipasquale, Saverio Mecca	
<b>The importance of creativity in vernacular heritage</b>	<b>68</b>
Gilberto Duarte Carlos, Mariana Correia, Emília Simão	
<b>Communication and dissemination of vernacular heritage</b>	<b>74</b>
Mariana Correia, Gilberto Duarte Carlos, Letizia Dipasquale, Saverio Mecca, José Vicente, Teresa Correia	
<b>From Vernacular Heritage to World Heritage. 8 case studies</b>	<b>81</b>
<b>The traditional cultural landscape of Pico island and its vernacular architecture, Portugal</b>	<b>82</b>
Gilberto Duarte Carlos, Mariana Correia, Goreti Sousa, Mónica Alcindor, Rui Florentino, Teresa Bermudez, Manuel P. R. S. Costa	

FUP Best Practice in Scholarly Publishing (DOI: 10.36253/fup\_best\_practice)

All publications are submitted to an external refereeing process under the responsibility of the FUP Editorial Board and the Scientific Boards of the series. The works published are evaluated and approved by the Editorial Board of the publishing house, and must be compliant with the Peer review policy, the Open Access, Copyright and Licensing policy and the Publication Ethics and Complaint policy.

Firenze University Press Editorial Board

M. Garzaniti (Editor-in-Chief), M.E. Alberti, F. Arrigoni, M. Boddi, R. Casalbuoni, F. Ciampi, A. Dolfi, R. Ferrise, P. Guarnieri, A. Lambertini, R. Lanfredini, P. Lo Nostro, G. Mari, A. Mariani, P.M. Mariano, S. Marinai, R. Minuti, P. Nanni, A. Novelli, A. Orlandi, A. Perulli, G. Pratesi, O. Roselli.

 The online digital edition is published in Open Access on [www.fupress.com](http://www.fupress.com).

Content license: the present work is released under Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0: <https://creativecommons.org/licenses/by-nc-sa/4.0/legalcode>).

Metadata license: all the metadata are released under the Public Domain Dedication license (CC0 1.0 Universal: <https://creativecommons.org/publicdomain/zero/1.0/legalcode>).

Le immagini utilizzate rispondono alla pratica del *fair use* (Copyright Act, 17 U.S.C., 107) essendo finalizzate al commento storico critico e all'insegnamento.

© 2021 Author(s)  
Published by Firenze University Press

Firenze University Press  
Università degli Studi di Firenze  
via Cittadella, 7, 50144 Firenze, Italy  
[www.fupress.com](http://www.fupress.com)

*This book is printed on acid-free paper  
Printed in Italy*

*progetto grafico*  
**didacommunicationlab**  
Dipartimento di Architettura  
Università degli Studi di Firenze

Susanna Cerri  
Federica Giulivo

Stampato su carta di pura cellulosa *Fedrigoni Arcoset*

ELEMENTAL  
CHLORINE  
**FREE**  
GUARANTEED



<b>Historic walled town of Cuenca, Spain</b>	98
Lidia García Soriano, Valentina Cristini, Fernando Vegas, Camilla Mileto	
<b>Historic centre of the city of Pienza, Italy</b>	114
Alessandro Merlo, Gaia Lavoratti, Francesco Frullini, Letizia Dipasquale, Saverio Mecca	
<b>Old Rauma, Finland</b>	130
Matilde Caruso, Lidia García Soriano, Camilla Mileto, Fernando Vegas	
<b>Villages with fortified churches in Transylvania, Romania</b>	146
Valentina Cristini, Fernando Vegas, Camilla Mileto, Lidia García Soriano	
<b>Historic centres of Berat and Gjirokastra, Albania</b>	160
Letizia Dipasquale, Massimo Carta, Alessandro Merlo, Giorgio Verdiani	
<b>Historic centre Chorá on the island of Pátmos, Greece</b>	178
Letizia Dipasquale, Lucia Montoni, Alessandra Manzi, Saverio Mecca	
<b>Vernacular architecture in Chazhashi settlement, Upper Svaneti, Georgia</b>	194
Gilberto Duarte Carlos, Mariana Correia, Goreti Sousa, Mónica Alcindor, Teresa Bermudez	
<b>Building the future of European Vernacular World Heritage</b>	<b>211</b>
<b>Conservation and maintenance practices</b>	212
Camilla Mileto, Fernando Vegas, José Luis Baró Zarzo, Yolanda Hernández Navarro	
<b>Assessing and mitigating impacts of changes on cultural heritage</b>	222
Letizia Dipasquale, Saverio Mecca, Lucia Montoni	
<b>Protecting and valuing cultural heritage</b>	230
Mariana Correia, Gilberto Duarte Carlos	

## Introduction



---

## VERNACULAR ARCHITECTURE IN CHAZHASHI SETTLEMENT, UPPER SVANETI, GEORGIA

---

Gilberto Duarte Carlos  
Mariana Correia  
Goreti Sousa  
Mónica Alcindor  
Teresa Bermudez  
Escola Superior Gallaecia

### Introduction and context

The Ushguli territory is located in the *Upper Svaneti* region, in Georgia. Its occupation is particularly influenced by the *Enguri* River course. The river *Enguri* is born in the Caucasian mountain chain, formed by the glaciers of the *Shkhara* peak, the Georgian highest point (5068m). From a geographical perspective, the high valley conformed by the *Engury* stream constitutes the fundamental axis for the implantation of the four historical settlements that are part of *Ushguli* area, listed as World Heritage, since 1996 (UNESCO-WHC, 1996).

The settlements appear alongside the river, following the valley slope, occupying the in-between natural platforms that are less vulnerable to violent downpours and snow slides. In the Northeast, the first village of the *Ushguli* community is *Zhibiani*, followed by *Chvibiani*, *Chazhashi*, and finally, *Murkmeli*. Unlike the first three settlements, *Murkmeli* is located in the North margin of the *Enguri* River. The middle settlement, *Chazhashi*, constitutes the World Heritage property, and due to its status, it is regulated by more rigorous regulations. The three other settlements are integrated on its buffer zone. *Chazhashi* also has the territorial characteristic of being located in-between the affluence of the smaller *Qvisiri* River and the *Enguri* river. This water line course junction creates an insular platform, forming a natural defensive barrier that involves the settlement's lower area. The *Chazhashi* village occupies the adjacent East slope, developing its dwellings according to the land level curves around the insular promontory, resembling to a medieval defensive structure surrounded by a water moat (ICOMOS-Georgia, 2000).

The four settlements present very similar configurations and dimensions. The buildings are concentrated into rough elliptical shapes cores, occupying mostly the southwest slope of the hillock and taking advantage of its biggest sun exposure and leaving the remain highest areas for the forest, an important economic resource and a barrier to prevent the habitual avalanches to reach the villages (Mardani, 2014).

The *Ushguli* area represents the highest point of human occupation, before the permanent snowed mountain range that separates the Georgia from the Russian territory. Therefore, the climatic conditions are harsh and severe, particularly during the winter period, conforming one of the most isolated communities of the region. The resulting lack of cultural transferences produced a very particular social structure, based on family ties and clan dispute. The local inhabitants, the Svan people, are described as a combative community with warrior habits. The conflicts with invaders and between them-


opposite page  
Chvibiani settlement, Upper  
Svaneti, Georgia  
(© M. Correia, 2018)



Plan of the World Heritage site of Chazhashi village, Upper Svaneti, Ushguli community (© Ci-ESG, 2020)



3D interactive model - village aerophotogrametric model (© Ci-ESG, 2020)



selves were intense and regular. This behaviour is clearly reflected by the defensive position of the clusters, their structure and their inherent typologies (Pavan, 2011).

### The historical background

This strategic position is influenced by the site history. Due to its richness in important natural resources, such as copper and gold, Georgia was strongly disputed by some of the major empires of the ancient world (Persia, Greece, Rome, and Byzantium). Another important factor that made this region such a disputed land was its strategic position, namely in terms of commercial routes, as some of the major routes with the orient passed through the Caucasus Mountain to reach the Black Sea (Mikaberidze, 2007; Pataridze, 2017).

But the progressive global climate cooling that took place after the 6th century closed all the possibilities of crossing the Caucasus, leaving the Svaneti region in isolation until global warming opened the Caucasus passages again around the 10th century. However, this warming did not reach the same temperatures of Ancient times, leaving the passages to the Black Sea with a very challenging access (Tevzadze, Vacheishvili, 2014). Therefore, the possibility of communication with the North region of the Caucasus was not without danger.

By this period, the Georgian kingdom was already established in the region. Svaneti was the most advanced border in the country with the North Caucasus. Therefore, between the 10th and the 13th centuries, there was a defensive need of closing this border from their northern neighbours. The defensive clusters are in line with all the major crossing passages of the period, so that all potential means of assault were blocked (Tevzadze, Vacheishvili, 2014).



Upper Svaneti



Chazhashi



Localisation of Upper Svaneti, Georgia



Chazhashi settlement, Upper Svaneti, Georgia (© M. Correia, 2018)

The hard access to this region, together with the fearless character of its people established the Svaneti region as the ultimate defensive redoubt of the Georgian kingdoms. During the worst conflict periods, it was common that the rulers established their refuge and lay their treasures there. This fact, despite their small dimensions, enhances the historic importance of the *Ushguli* villages and its inherent value within the Georgian culture.

### Community and governance

The striking isolation of Svaneti due to a high-altitude implementation, whose access historically was of great complexity, strongly defined its social structure and their governance organisation. In fact, the high valleys of the Caucasus have always served as an admirable dwelling and a safe refuge for those people that desired to live in seclusion.

As a result of poor conditions and little contact, unusual ways of living were established, which made Svaneti a unique place to live. Until the early 20th century, ancient customs were preserved, while the language and the polyphonic songs are being practiced till today. The basis of the society was through self-governed commune, and the individual members were firmly linked together by the bond of strong communal feelings, represented mainly by the unusual towers that have defined the landscape of this settlement. Actually, these structures represented a corporate group that had specific functions of ritual, economic and political unity. In house societies like the Svaneti's, all types of socio-political manoeuvring were disguised under the kinship cover (Lévi-Strauss, 1981). However, the commune was of much greater importance than the family, and the obligation to perform the duties relating to it was much more binding on the people's conscience.



➔ Chazhashi valley view, Upper Svaneti, Georgia (© M. Correia, 2018)



➔ Fortified tower, Chazhashi, Upper Svaneti, Georgia (© M. Correia, 2018)



➔ Vernacular buildings and towers, in Chazhashi, Upper Svaneti, Georgia (© M. Correia, 2018)

### Settlement aggregation and dynamics

When observing *Chazhashi* layout, one can state that the aggregation of the built units did not correspond to any traditional urban element. The urban layout did not present an articulated network, neither an evident hierarchic structure. The overlapping between public and private space was constant, therefore conditioning the direct access to the ancient buildings. The development, between the 8th and the 9th centuries, of a feudal system in Georgia, took, in Svaneti, a peculiar character. As usual, the lords appropriated the land, as well as the public and the religious spaces (Tuite, 2002). Therefore, it is very likely that the settlements had their origin in isolate buildings, dwellings and towers, gradually evolving through an aggregation and densification of an organic system, towards the occupation of the slope land steps, regarding mostly to the defensive criteria and/or trying to face the best sun exposure.


The houses were built in the rockier and infertile land, mostly adjacent to the river, and the farms were on the more productive slopes. To some extent, the shortage of fertile land explains the settlement dispersion, and this diffusion, in its terms, justifies the impossibility of building an enclosing wall, and therefore, the use of fortified towers as the main defensive mechanism (Mardani, 2014).

The buildings are isolated or grouped in smaller clusters, ranging from 2 to 5 units, with surrounding vacant space, exposing most of the building's facades, expected in the case of the inner adjacent walls. Sections of fence walls usually bound most of the clusters into bigger ones, segregating some of the building's residual periphery areas from the circulation network, reinforcing what can be interpreted as a very primitive urban block, without the concept of urban grid. Therefore, the established concept of street, in its typical medieval channel shape, crossing the thick built density and conditioning



#### Building systems in a house (machubi), Chazhashi, Upper Svaneti, Georgia

1.Schist overlapped tiles; 2.Clamp branches/ceiling boards; 3.Ceiling longitudinal beams; 4.Roof support structure; 5.Joint connection piece; 6.Central post; 7.Wooden platform; 8.Wooden decorated partition; 9.Transversal beams; 10.Longitudinal beam; 11.Central post; 12.Foundation stone slab  
(© Ci-ESG, Escola Superior Gallaecia, G. Carlos, T. Bermúdez de la Puente)



#### opposite page

#### Building systems in a defensive tower, Chazhashi, Upper Svaneti, Georgia

1.Schist overlapped tiles; 2.Clamp branches/ceiling boards; 3.Ceiling transversal beams; 4.Roof support structure; 5.Joint connection piece; 6.Central post; 7.Wooden platform; 8.Platform trapdoor; 9.Transversal beams; 10.Stone slab; 11.Wood formwork; 12.Ridge beam; 13.Stone chanel trapdoor; 14.Removable stairs; 15.Foundation stone slab  
(© Ci-ESG, Escola Superior Gallaecia, G. Carlos, T. Bermúdez de la Puente)


#### Building systems in a tower house, Chazhashi, Upper Svaneti, Georgia

1.Schist overlapped tiles; 2.Clamp branches/ceiling boards; 3.Ceiling longitudinal beams; 4.Ceiling transversal beams; 5.Ridge beam; 6.Joint connection piece; 7.Transversal beams; 8.Wooden platform; 9.Platform trapdoor; 10.Transversal beams; 11.Longitudinal beam; 12.Central post; 13.Stone stairs; 14.Stone slab; 15.Longitudinal beam; 16.Joint connection piece; 17.Transversal beams; 18.Foundation stone slab  
(© Ci-ESG, Escola Superior Gallaecia, G. Carlos, T. Bermúdez de la Puente)

the urban layout, does not exist in this case. The concept of public square is also not present, as there is no defined redoubt for the gathering of the community, articulated with the communication network. The only exceptions are the small temples and its walled enclosures. This also justifies the fact that the buildings do not present a dominating façade or other types of composition hierarchy towards the exterior (ICOMOS-Georgia, 2000).

The 'public space' is rather the consequence of the interception of all the periphery area of the isolated buildings and built clusters, comprising a network of spaces and passages of different sizes and configurations. Another important feature of the circulation paths is its function for water drainage. Subject to heavy rain most of the year, the non-built space usually coincides with the natural ridgelines, tempting to minimise the substantial ground erosion. In some points, one can find transversal logs in the ground between buildings, in order to act as a form of containment. The recent and intensive use of the car originates evident conflicts regarding the circulation spaces. The elevated erosion increases the soil permeability, compromises the land, builds instability and creates areas for water accumulation. Nevertheless, some distribution itineraries can be clearly identified on the village structure: the two surrounding itineraries that bound the three land platforms of the mount, the connection passages after the three bridges, and the permeable central space that crosses the platforms from the lowest West level to the East part of the settlement, can be identified as the main circulation elements.

Two isolated religious buildings dominate the highest area, located in the East area of the mount, where there is no presence of other dwellings. However, despite this singular feature and their social



importance, their smaller dimension and the prominence of several fortified towers clearly minimise the impact of these churches as village references. These small churches, from the same period than the defensive tower construction, were probably built as family churches, in the context of the feudal appropriation of public and religious space (Tuite, 2002).

#### Architectural typologies

Despite the different volume aggregation systems, one can clearly identify three key typologies in *Chazhashi*: tower, house and tower-house (ICOMOS-Georgia, 2000).

#### Tower (*Koshki*):

According to the official sources, the tower (designated in Georgian as *Koshki*) dates back to the period between the 11th and the 13th centuries. The tower spatial organisation reveals the traditional socio-economic structure of these communities, well adapted to a traditional economy based on agriculture and cattle breeding. Formerly, this typology had a defensive use, evident in its architectural features. The tower was also well adapted to the dimension and social structure of local families. Each family built their defensive tower near the house, so these defensive and vigilant mechanisms were autonomous and scattered in the urban layout (Mardani, 2014). This kind of use was reflected in the type of openings located at the top of the tower, which gave the possibility, when needed, of throwing stones and shooting arrows.



↑ Tower house, in Chazhashi, Upper Svaneti, Georgia (© M. Correia, 2018)

House (machubi), in Chazhashi, Upper Svaneti, Georgia (© M. Correia, 2018)

The tower interior structure and organisation allowed to stock up projectiles at the lower levels and to launch them to the enemy from the higher levels. Towers could be part of an ensemble, composed by small volumes, or built as isolate buildings. While part of an ensemble, they combined housing and defensive use. The defensive role of these hermitic buildings served as refuge for the owner's family against foreigner bandits, as well as against other family clans, with whom it was common to be in dispute (Pavan, 2011).

The tower typology is characterised by a slender shape due to its considerable height and its progressive narrowing. The tower presents several internal levels conformed as chambers or platforms, with removable vertical connections between them. The tower is composed of a squared plan configuration that reduces in size along its vertical development. Its appearance could be more or less slender, as well as more or less robust or refined, depending on the particular case. In most cases, the tower is topped by machicolated parapets crowned with arches; a solution that seems to be of renaissance influence (UNESCO-WHC, 2004).

Usually there are only two entrances to the tower, both situated at the lower levels, one on the ground floor and the other one in the first floor. This typology could have between four or five levels composed of different material partitions, which change the constructive system depending on the level height. In the lower levels, the division between levels is done through a multilayer stone slab laid over a pitched wood formwork. Surprisingly, in some documents they are called as 'dummy' vaults, although they are not built with concentrating stone rings or primitive arched elements. The upper levels are divided through lighter horizontal wood platforms, supported by transversal beams, recessed in the façade's opposite walls. There is no permanent vertical communication inside the tower between levels. The passages between levels resort to small trapdoors and thin retracting ladders. These elements are always positioned in the angles of the rooms. Obviously, the intention was to isolate completely each level, to increase the resistance capacity during the tower assault.

When towers are connected to houses, the communication between buildings could be made through the upper floor of the house. The presence of windows is almost imperceptible because of its very reduced size, obviously due to defensive reasons and the building structural capacity. The towers pres-



↑ Sociocultural features, in Chazhashi, Upper Svaneti, Georgia (© A. C. Merten, 2018)

Traditional little church, in Chazhashi, Upper Svaneti, Georgia (© A. C. Merten, 2018)

ent two kinds of openings located along the walls, devoted for air circulation and light, integrated in the machicolated parapets. Later, after the trivialisation of the firearms use, smaller openings were added, namely at the highest levels, to work as shooting holes. The minor size and random position of these elements did not produce significant impact in the tower composition.

#### House (Machubi):

This typology constitutes the traditional building for family and animal shelter. Developed in two levels, without internal communication, it is usually composed by a single volume, of rough quadrangular plan. Partial buried, it solves the soil high significant differences, assuming two different land platforms according to their double level (ICOMOS-Georgia, 2000).

The ground floor of the house (*machubi*) is composed by a single space with a fireplace without chimney. An oak wood pole, which supported the central double beam of the upper level floor, was located in the geometric centre of the space. The inhabitants and their animals used this level simultaneously in the winter, in order to optimise the temperature. The cattle were separated by a wooden vertical partition, creating a peripheral corridor, surrounding the central space. These partitions of carved oak wood, richly decorated, allowed the animals to introduce their heads in individual frames facing the central space. The partition, no more than 1,50m high, did not touch the ceiling. Therefore, it did not constitute a segregated compartment. In some areas, they presented wood covers to serve as platforms for tools or for food storage. Obviously, the family, which could reach up to 10 elements, slept close or above the animal stalls, to take advantage of the warmth produced by animals. The window openings were scarce, small and high, in order to avoid the snow accumulation.

The upper floor (*darbazi*) was mostly used as residence during the warm periods. It was composed by a single open space without any partition, since the animals were not admitted inside. The floor was made of wood, constituted by a platform of parallels logs. The room was open towards the roof structure, exposing the massive log 'truss', supported by a central oak (or pine) pole. The upper level pole was positioned over the middle double beam; accordingly aligned with the inferior pole. In some cases, the houses integrate an external corridor (*gubandi*) to improve thermal insulation to the house and



to protect the entrance. This corridor connected to the house through an entrance located at the upper level (Pavan, 2011).

#### **Tower-house or fortified dwelling:**

The tower-house combines the features of the house and of the tower in the same building. The tower-house is apparently similar to the Svaneti towers, but with variations in its proportions. It has a less slender shape due to its lower height and its greater width, therefore presenting less overlapped levels. There are just a few tower-houses in the *Usghuli* villages.

The tower-house combines defensive and residential uses. The three existing levels were used to different activities. The ground floor of the tower-house (*machubi*) combined both winter residence and animal shelter; while the first floor (*darbazi*) was used for summer residency and storage. Additionally, the third level had a defensive role, and the machicolated openings allowed throwing stones against enemies. The entrances were located on the ground floor, while other openings could be located at each level, but always with a very reduced size, due to defensive reasons. Unlike the *machubi* the tower-house could present internal vertical communication between the lower levels. However, the communication between the last levels was solved through trap doors and removable wooden stairs.

Currently, there are only 4 cases left at the *Chazhashi* village, and the most prominent tower-house accommodates the local museum (ICOMOS-Georgia, 2000). The exceptionality of this typology, the particularity of the current function, and the significant reconstruction intervention during the Soviet occupation compromised the authenticity of the building, not allowing a reasonable interpretation of its original features.

#### **Typological complements**

##### **Machicolated parapets crowned with arches**

This was one of the most characteristic elements of the Svan defensive buildings. This element allowed for the top horizontal openings to be projected out of the façade wall. Therefore, enabling the stone throwing without excessive exposition, and reducing the vulnerability to the arrows. The fact that machicolated parapets crowned with arches were a defensive technique developed in the renaissance, implied that towers in *Chazhashi* could be associated to different historic periods, in the Middle Age, that resorted to normal openings in the façade and those, of more recent periods, that adopted this war technique innovation.

##### **Stone chambers with gable ailing**

One of the most distinctive elements of the towers was the stone chamber of the lower levels. These massive structures resorted to thick stone floors that were assembled above a wood gable ceiling, resembling to a collaborative slab. The resulting space suggested a negative shape of a pitched roof. The sim-

ple geometry, small dimension, wall thickness and the lack of natural light imputed a rather austere atmosphere to this element. The oldest gable ceilings presented a dark colour due to smoke exposition. This element was made of two slated panels, operating as a lost formwork, constituted of long boards with one central beam positioned under the ridgeline. Curiously, sometimes they were described as a 'dummy vault' solution (UNESCO-WHC, 2004).

#### The *machubi* decorated partitions for cattle

The wooden partition, which formed the animal stalls inside the *machubi* ground floor, constituted a very characteristic element. Built with one or two sides, segregating the central space from the façade walls, it formed a surrounding corridor. Unlike the rest of the stone walls, the inner part of the partitions was decorated with elaborated patterns, based on the repetition of simple geometric forms, symbols or botanic inspiration elements. This contrast accentuates the partition's expression and their importance in the interior atmosphere. They remarked the skill of local wood carving, and the tradition of the Svan artisans with pine, oak and walnut wood, which could be also express in other important elements like the temple doors, some of the doors of the *darbazi* level, and the iconic chair of the head of the family, as depicted by Kalatozov's movie (1930). The partitions were composed by horizontal logs, connected by vertical smaller poles, and infilled with wood panel boards in-between them. The elements were usually framed by the carved motifs. The bigger elements are assembled by fittings, although it was possible to find some cast iron binders too. Along the inner side, facing the holes for the animal heads, another smaller partition existed that served as manger.

#### Construction systems and elements

Both of the typologies resort to the same construction system as well as the same basic structural principles. Despite the structural adjustment to the buildings different high, or to a specific defensive function, the construction procedures and techniques do not evince significant changes (Pavan, 2011). The stability of the buildings takes advantage of the mountain rock surfaces of the ground to raise the structures. The concept of building foundations is not entirely applied, following the medieval approach, only adjusting the ground rocks to raise the biggest layers of stone, therefore avoiding creating underground elements.

The external walls constitute a bearing envelope of quadrangular shape. The thick walls, which can reach up to 1,00 m width, are made of limestone and schist masonry. They resort to long blocks of different sizes which became smaller and thinner along the wall height, following the reduction of thickness until the top of the building. The wall pattern is uneven, although it presents some horizontal regularity amongst the same layers.

The presence of mortar was significant, namely in the joints of the higher layers. In some cases, it was also used in the surfaces as a plaster covering. Apparently, the objective was to consolidate the



most fragile parts of the structures or punctual reinforcement of crack repairing. The mortar presents a yellowish colour and a rough texture, indicating a high percentage of dry sand in its composition. The easy desegregation of many plaster sections also implies the lack of a strong binding element. The original composition of the mortar is not consensual; there are some opinions that infer the use of cow manure, and others that admit the use of lime. As observed along the project missions, all the recent construction interventions resort to industrial cement.

The structures that support the rooftops are extremely interesting. A triangle made of horizontal logs is placed in the middle of the roof, perpendicular to the ridgeline, like a traditional truss. On the top, smaller beams, from smaller logs, were perpendicularly displayed from façade to façade, covering all the building area, creating two roughly symmetric eaves. The rooftop was then covered of thin schist plates. The plates had a quadrangular shape and were overlapped as shingles, from the top to the bottom of the eave.

According to Kalatozov's movie (1930), it is possible to identify the former presence of a layer of beech branches, before the schist display, acting as small hooks. This was one of the solutions found to minimise the problem. Nowadays, the slates are not fixed by any complementary element, and are placed directly on the top of the wooden grid, relying only on their own weight to stand on the same position, or simply by being secured through nails. The observed vulnerability of this system means that the original knowledge is no longer present in the Svaneti building culture.

#### Strategies for conservation and sustainable management

The Upper Svaneti World Heritage property is protected around the main listed component, Chazhashi village, by a 1km radius. Under the National Law on Cultural Heritage in Georgia, all four

📍 Vernacular wood work, Chazhashi, Upper Svaneti, Georgia (© G. Duarte Carlos, 2019)

📍 Wooden roof support structure, Chazhashi, Upper Svaneti, Georgia (© G. Duarte Carlos, 2019)



View of Chazhashi from Murkmeli, Upper Svaneti, Georgia (© M. Correia, 2018)



vernacular villages *Zhibiani* (also known as *Jibiani*), *Chvibiani*, *Chazhashi*, and *Murkmeli* (also identified as *Murk'meli*) are listed as national monuments. This law only allows appropriate interventions on national monuments, and provides the highest heritage protection in the country. As the four villages are national monuments, there is a 500m safeguard area around each one of them that further increases their protection (UNESCO-WHC, 1996).

The rising of international tourism in the last years, and the demanding for more accommodation at Upper Svaneti, brought a higher pressure to the property, added to the lack of local management capacities and the insufficient conservation skills that were already, for a long time, a risk to the property (UNESCO-WHC, 1996). In recent years, the National Agency for Cultural Heritage Preservation of Georgia developed a more active assessment, monitoring and managing of the property, which has been a real difficult endeavour, especially due to the region's remoteness, winter snow isolation, difficult road access, and economical challenges faced by the country.

The pro-active attitude of the National Agency was just possible through a more continuous and step by step method, which resulted in some improved maintenance, conservation, and restoration interventions in the property. During the last years, the National Agency carried out several national funded interventions in the four villages, and in particular at *Chazhashi* village. The interventions included mostly the reinforcement of foundations, the removal of vegetation from the walls, the arrangement of hidden reinforcements at the roofing levels, the installation and waterproofing of wooden roof structures, the restoration of slate stone roofs, the demolition of instable parts and the restoration of main walls (National Agency, 2020).

Through a more strategic and sustainable approach, the National Agency developed regulatory measures to address the conservation, the restoration, and the rehabilitation of the traditional dwellings in the *Ushguli* community. Additionally, the Ministry of Regional Development and Infrastructure, in collaboration with the National Agency also prepared the "Development Regulation Plans in the Ushguli community", which includes the four villages, and the buffer zone of the World Heritage Upper Svaneti property. In the last years, the National Agency built bridges and entailed a more insightful communication with the local communities and international organisations as the WHC and ICOMOS - an open dialogue that is bringing positive outcomes towards the sustainable safeguard of *Zhibiani*, *Chvibiani*, *Chazhashi*, and *Murkmeli*.

### Acknowledgments

A special thank you is owed to the National Agency for Cultural Heritage Preservation of Georgia, for all the support provided during the missions to Upper Svaneti, in particular to Mr. Nikoloz Antidze, Director General, to Ms. Manana Vardzelashvili, UNESCO Focal-Point in Georgia, Ms. Tamar Meliva, conservation architect, and to Ms. Mariam Kuparadze, representing UNESCO, and International Relations Unit of the National Agency. Thank you also to Martin Torres for the drone survey of Chazhashi site and the photogrammetric modelling consulting.

### References

- ICOMOS-Georgia 2000, *WHS Upper Svanetti Survey Study*, funded by Getty Grants Foundation.
- Kalatozov M. 1930, *The Salt for Svaneti*, Film, Former URSS.
- Lévi-Strauss C. (ed.) 1981, *La identidad: seminario*, Pretel, Barcelona.
- Mardani S. F. 2014, *The Effect of Natural Landscape on Georgian Defensive Architecture (Case Studies: Mestia and Gori)*, «Art and Civilisation of the ORIENT», vol. 2, no. 4, pp. 30-37, <[https://www.academia.edu/36000490/The\\_Effect\\_of\\_Natural\\_Landscape\\_on\\_Georgian\\_Defensive\\_Architecture\\_Case\\_Studies\\_Mestia\\_and\\_Gori](https://www.academia.edu/36000490/The_Effect_of_Natural_Landscape_on_Georgian_Defensive_Architecture_Case_Studies_Mestia_and_Gori)>.
- Mikaberidze A. 2007, *Historical Dictionary of Georgia*, «Historical Dictionaries of Europe», Scarecrow Press, vol. 50.
- National Agency 2020, *National Agency for Cultural Heritage Preservation, Georgia*. Current projects, <<https://www.heritagesites.ge/en/project/11>>.
- Pataridze M. 2017, *Political-Economic and Ethnological-Religious Aspects of Numismatic Material from Svaneti (5th c. BC – 18th c. AD)*, St. Andrew the First-Called Georgian University of the Patriarchate of Georgia, Tbilisi.
- Pavan V. 2011, *Svaneti Towers, Fortified Stone Villages in the Caucasus*, «Glocal Stone», VeronaFiere – 46th Marmomacc Fair from 21st to 24th September 2011, Verona.
- Tevzadze G., Vacheishvili N. 2014, *Project Svaneti. Svanetian Towers and Svanetian high art history and hypothesis*, Kadmos.
- Tuite K. 2002, *Real and imagined feudalism in highland Georgia*, Amiram, vol. 7.
- UNESCO-WHC 1996, *Upper Svaneti*, <<https://whc.unesco.org/en/list/709/>>.