

# Assessing User Experience for Serious Games in Auditory-Verbal Therapy for Children with Cochlear Implant

Sandra Cano<sup>1</sup> ( ), César A. Collazos<sup>2</sup>, Leandro Flórez Aristizábal<sup>2,3</sup>,  
Carina S. Gonzalez<sup>4</sup>, and Fernando Moreira<sup>5,6</sup>

<sup>1</sup> LIDIS Group, University of San Buenaventura, Cali,  
Colombia sandra.cano@email.com

<sup>2</sup> Colombian, IDIS Group, University of Cauca, Popayan, Colombia  
ccollazo@unicauca.edu.co, lxexpxe@gmail.com

<sup>3</sup> GRINTIC Group, Institución Universitaria Antonio José Camacho, Cali,  
Colombia learistizabal@admon.uniajc.edu.co

<sup>4</sup> University Laguna, Santa Cruz de Tenerife,  
Spain cjgonza@ull.edu.es

<sup>5</sup> Portucalense Institute for Legal Research – IJP, Univ. Portucalense, Rua Dr. António  
Bernardino Almeida, 541-619, 4200-072 Porto, Portugal  
fmoreira@upt.pt

<sup>6</sup> IEETA, Univ. Aveiro, Aveiro, Portugal

**Abstract.** Information technology is transforming different areas, such as rehabilitation, in such a way that serious games are finding a use as an alternative in hearing therapies for children with cochlear implants, creating a motivating experience in children. As a result, the design of products for children depends on the skills they have to interact, because if they have a better experience they may have a better learning experience. Most existing methods of assessment are aimed at adults, although some have been adapted for children with special needs, including children with cochlear implants. This article presents a methodology that provides support for following the necessary guidelines and choosing techniques adapted to the characteristics of the child. The methodology has been applied in the cases of 12 children with cochlear implants, where different methods have been used to assess user experience.

**Keywords:** Assessing methods · User centered design · Children with cochlear implants

## 1 Introduction

Information technology is transforming many different areas, even the area of rehabilitation. Serious games are finding a use as an alternative for generating meaningful experiences in different contexts of use. A serious game can be defined as a balance between the entertainments and pedagogical [2]. Auditory Therapy (AT) is the process whereby the child learns to use his hearing to the fullest. The goal of rehabilitation is to help children learn to extract or take information from the stimuli they perceive via the

cochlear implant<sup>1</sup>. The incorporation of digital games in therapy can make a healthy contribution in such a way that they bring together entertainment and education [1, 2] and can be integrated into the rehabilitation process.

Today, games have adapted formal Human Computer Interaction techniques in order to assess interaction and product quality [3–8]. Usability is a quality attribute that determines user satisfaction and consequently the product. This is defined by ISO 9241 as “a product can be used by specified users to achieve goals in a specified use context” [9]. According to Nielsen [10] usability comprises five attributes: ease of learning (Learn ability), efficiency (Efficiency), ease of memorization (Memorability), low error rate (Errors – Low Rate) and satisfaction (Satisfaction). The HCI approach furthermore involves a design philosophy that aims to create products that meet specific needs of the end users, achieving a better satisfaction and user experience.

User experience (UX) can meanwhile be understood as a set of feelings and emotions that are produced in a user on interacting with an interactive product [11], such as a serious game. Thus, the experience children have with a product depends on the skills they have for interacting with it more easily or with more difficulty [12, 13]. Therefore, the evaluation of a product focused on children is a different process compared with adults [14] and the focus of the technology is different [15]. Thus, the design and development of a therapeutic game for children is not a simple task, because with children come particular requirements.

This article is structured as follows. Section 2 begins with a brief description of children with cochlear implants and the challenges that they must overcome. Section 3 discusses different methods for assessing usability that have been applied to children and how these could be adapted to the characteristics of a child. Meanwhile in Sect. 4 is applied a study case to assess games oriented to auditory-verbal therapy for children between 7–11 years old with a group of children with cochlear implants from the Institute for Blind and Deaf Children from the Cauca Valley department of Colombia is applied. Finally, conclusions and future work are described.

## 2 Children with Cochlear Implants

Deaf children can benefit from fitting a cochlear implant, an electronic device that picks up sounds from the environment (noise, sounds, words) and transforms them into electrical energy that can directly stimulate the auditory nerve endings, producing auditory sensations in the brain [16]. Children with cochlear implants are beneficiaries of auditory-verbal therapy, where they must learn to listen and identify sounds to learn to speak [16, 17].

A child who receives auditory-verbal therapy must extract information from the stimuli picked up by the cochlear implant. Rehabilitation is supported with educational material aimed at stimulating the senses of the patient with the implant. The children meanwhile are not able to develop skills at the same pace as hearing children. This makes

---

<sup>1</sup> This consists of a translator that converts acoustic signals into electrical signals that stimulate the auditory nerve.

it difficult to identify problems in the development of their cognitive skills and can affect their progress in the acquisition of learning [18]. This indicates that they need more attention and, in turn, motivation for learning, as they are easily distracted, especially when they lose interest in the task or the difficulty level of the task is high in comparison to their ability level.

### 3 Assessment with Children

When technology is evaluated with children it is important to define the purpose of the evaluation and to understand the data gathered. Existing evaluation methods tend to focus on usability and user experience. ISO 9421-210 defines “user experience as the perception of a person and responses that result from the use of a product or service” [11], i.e. when emotions produced in the children are observed directly. User experience is subjective and cannot be captured using traditional usability metrics such as time tasks or errors. Also, if we measure the use of a tool for children with hearing disabilities, we must evaluate it based on basic skills. This indicates that these metrics may vary depending on the user profile and the purpose of the evaluation. This implies the need to establish evaluation methods adapted to the level of difficulty; i.e. if a child with a cochlear implant is only just acquiring skills in speech, the Thinking Aloud method is not the most appropriate for them.

This method is aimed at children who can establish a channel of communication through speech, so it becomes quite complicated for a child with a cochlear implant wherever speech is involved, since a lot of the children are in the process of language acquisition and learning how to listen: some research [19] works do not recommend this method, because the child must carry out two simultaneous actions – complete the task and give verbal information on the activity, since the children make very few comments. As such, there are methods based on drawings [20] as an alternative to the verbalization methods, such as Drawing Intervention [21], a method that is used to elicit visual information from the child by means of drawing.

Furthermore, several studies [21, 28–30] have analyzed different methods for the evaluation of interactive products applied in children. Based on these studies, Table 1 shows some of the advantages and disadvantages found in each evaluation method. Of the methods that have been analyzed (Table 1), it ought to be noted that capturing the attention of a child is not an easy task. A communication channel must be established that makes it possible to establish greater concentration on the activities to be carried out during the test tasks. In turn, this channel may vary depending on whether a disability is present and the type of disability. Thus, a child with hearing impairment is more visual, and if they have a cochlear implant they can learn to speak, so that their objective is to further strengthen channels of communication through listening without losing the visual channel.

Meanwhile, there are measurement instruments of qualitative (subjective) and quantitative (objective), which correspond to non-verbal and verbal instruments [15, 32]. These instruments are used with the evaluation methods to capture the emotional, physical and aesthetic experiences of the user [31]. The majority of the methods are especially

adapted to the experience of the user, for example: Fun Toolkit [6], identification of images on cards (Picture Cards) [24], simple observation, thinking in a loud voice (Thinking Aloud) [23], and Laddering [26], among others. While many of the methods are not applied to all contexts of use and need to be well understood to know when to apply them and when not to [33], because many of those are not adapt to children with special needs and not considering if children have some type disability, it indiques that many of methods proposed are designed for children in normal conditions.

**Table 1.** UX assessment methods for children.

Method	Advantages	Disadvantages
Direct observation [22]	Does not require that the child verbalizes as he or she can express their views by simple expressions or body movement	A shy child who feels he is being watched can become uncomfortable. This could also influence the outcome of his actions on interacting with the product
Thinking aloud [23]	Allows collaborative work by the children. They will thus be more confident when it is their turn to present their views orally	For a child who does not have the ability to speak or cannot verbalize, the method can be very challenging
Drawing intervention [21]	Requires the child to draw something about a product to be evaluated. As such it does not require that the child verbalize	Knowledge to assess the drawing well is needed, since drawings are open to wide interpretation
Picture card [24]	Rates usability and UX using the visual communication channel to extract information from the child	The children can fail to understand the meaning of the pictograms
Wizard of Oz [25]	It is observational and informative. The child is only required to interact with the product and does not have to comment on their experience	The assistant must constantly be attending the child to ensure that they do not lose motivation
Fun toolkit [6]	Can be applied to children with low cognitive skills. It is designed to be used in children whose communication channel is visual. It also allows a quick selection when the views of the child are sought	The opinion of the child is made in a more visual way. When there are more than two options to be selected, it becomes a challenge if the child is not familiar with all the emotions
Surveys [41]	For children, this type of survey can be employed in several ways: child-child, teacher-child, assessor-child. Information is elicited on the views of the children	For young people this method is more convenient. In children older than 11 years it can also be used but how the questions are asked must be considered very carefully

Direct observation and verbalization methods such as Thinking Aloud, Picture Card are responsible for gathering information about the experience of the user as they interact with the system. However, the method may prove difficult at times, so that the children on feeling that they are being watched change their attitude in the moment

of the test and can at times be considered intrusive [34]. The child's cognitive skills can affect how easily they understand each of the methods presented to them. The attention span of a child, in most cases, is limited and they are able to focus for about 30 min, so that activities are limited by time [7]. As a result, the method called Fun Toolkit [6] is designed for children who require a reduced cognitive skill level, since to be able to respond, the child must fill in or select one of the options presented to them. Smileyometer [35] is a visual scale tool (VAS) based on the Likert scale with ratings from 1 to 5, where each level on the scale is represented by facial expressions, i.e. a disappointed face corresponds to (1) and a very happy face to (5).

This technique has been used in previous studies to measure satisfaction [8] and fun. However, if a child is unfamiliar with some of the emotions that are presented on the scale, the selection of the child will perhaps not be correct. One possible alternative is EMODIANA [36], a visual tool based on 10 graphic representations of different emotions of a character and the intensity of the emotions by means of a target, by which evaluation of emotions for children 7–12 years was conducted. The objective of Picture Card [34], meanwhile, is to find usability problems and images are used to verbalize sentences. It is used for children who have language problems, as a way of establishing a communication between the child and the evaluator.

The channel of communication of children with cochlear implants in the early stages of learning how to listen is primarily visual. Teachers therefore base their teaching of concepts on pictograms accompanied by sounds [16]. In the therapeutic context, children with cochlear implants must develop auditory qualities, for which they need to follow a process that involves a number of stages, such as: detection, discrimination, identification, and understanding. Many children have trouble pronouncing certain specific phonemes in the middle of words. Many also have a particular problem. The audiologists therefore perform therapies individually, which takes more time.

Suitable evaluation methods are sought for this reason, that make it possible to identify the needs of children with cochlear implants, in such a way that, according to the level and characteristics of the learning, suitable evaluation techniques can be adapted to involve the child in the design of the serious game.

There are a number of different methods of evaluation which in turn must be adapted to suit the profile of the child, since not all methods are adapted in the same way for them to use. Evaluation methods provide support for measuring usability, user experience, or both. These methods applied will be either subjective or objective, depending on the type of activity to be conducted with each child. The evaluation methods that have been used for children with cochlear implant, are: Direct observation, fun toolkit, test of usability, video analysis, interviews, drawing intervention and picture card.

## 4 Case Study

The case study is applied to 11 children with cochlear implants - eight boys and three girls between the ages of 7–11 years in the Institute for Blind and Deaf Children, in Cali, Colombia. All eleven children are profoundly deaf in both ears. Auditory-verbal therapy


for these children is currently carried out with the support of the speech therapist by means of a number of different activities that involve very little technology.

The purpose of this evaluation is to identify different aspects of user experience and usability following the work proposal by Cano et al. [42, 43], with the aim of designing an interface that is useful to the audiologist in being integrated into therapies that use technology. Among the activities for evaluating the inclusion of technology in user experience, three games oriented to voice and speech therapy were selected, e.g. Talking with Teo [13] Pre-lingua [14] and Vivoso [15]. The three games are used in PCs, where Talking to Teo supports speech therapy, while Pre-lingua and Vivoso are aimed at voice work skills such as pitch, timbre, intensity, breath, and vowel articulation. The different activities carried out with the children lasted 20–36 min. The objective is to evaluate usability for each game in order to identify needs and improvements in a game oriented to auditory-verbal therapy.

#### **4.1 UX Evaluation Methods for Children**


An evaluation method is defined as those procedures, objective or subjective, used to obtain information in relation to the performance objectives. To determine the aspects that are most relevant to the child with cochlear implant, methods of inquiry are used, such as interviews and questionnaires to teachers and speech therapists in the interest of extracting information about the child such as learning styles, behaviors, interests, and others. In turn, the technique of direct observation was applied, to observe the interaction between teacher-child and speech therapist-child.

Children with cochlear implants tend to communicate visually; so appropriate methods of verbalization were selected. Fun Toolkit was used in the beginning, adapting nonverbal expressions to formulate question and answer combinations. Only two rating scales are used - This or That. The questions are related to the experience they feel on interacting with the game. As a result, use was made of an instrument called Smileyometer or VAS (Visual Analogue Scale), where the scale is modified to include just two faces and this changes according to the gender of the child. The faces show either a happy face to indicate a positive response or a sad face for a negative response (Fig. 1). In the early stages of the evaluation, all five faces represented in the Likert scale were used, but on being shown these different expressions some of the children became confused either because some of the expressions were unknown to them or they were too similar to each other. When teachers introduced them to a new evaluation framework, they were filled with doubts and became confused, so this also influence the decision to continue using just the two faces for the rating scale. This method is helpful for use as a form of communication response, where children express their opinions by identifying themselves with the feelings.



**Fig. 1.** Proposal for improving Smileyometer tool, adapted to include just two emotional states, depending on the gender of the child

Meanwhile, another method called drawing intervention [21] communicates the user experience through drawings, where the children are not required to speak or comment. This method is based on the observation about what the children draw and has been used to understand children's thinking. A modification was made to this method so that the objective for each child was to construct an animated character in order to be more involved in the game (Fig. 2). Therefore, using a set of body parts supplied to each child, two characters were built using all the pieces as they pleased.



**Fig. 2.** Applying the drawing intervention method for children from 7–11 years

Finally, each of these interactions was recorded on video. To evaluate the user experience using the proposed tools, two videos were recorded: one in front of the children, in order to observe their facial expressions and one behind, to observe the interaction of the child with the game. Notes were taken by two assessors, where one interacts with the child during the activities, while the other observes and records his observations. The information obtained is finally analyzed.

Selection of the methods depended on the level of schooling of the children. For example, for children in prekindergarten whose ages range from 5–9 years, the only method that could be applied was Drawing Intervention, because they don't yet know how to write, so that mainly the visual channel was used. Some of them vocalize, but lack oral clarity and are not easily understood. Moreover, many of them have been using the implant for less than a year. They also have a very poor vocabulary and don't manage to write their name well, which is why the interaction with them was visual only.

## 4.2 Experiment Design

One experiment consisted of selecting a set of interactive tools for speech and voice therapy. These tools interact with the child through the microphone, into which they pronounce a given phoneme and voice aspects such as intensity, pitch, and timbre are evaluated. Tools such as QUIS [37] that relates to technology, USE [38], to user experience, GEQ [39], and UEQ [40] are used in order to evaluate the established metrics, as shown in Fig. 3, so as to assess usability.



**Fig. 3.** Applying the direct observation method for children aged 7 to 11 years.

The “Talking with TEO” game meanwhile consisted in using a microphone to capture the phonemes “da-de-di-do-du” with a number of configurable repetitions for each phoneme pronounced correctly, where the child receives a star as a rating. Elsewhere, the Pre-lingua tool helps the child to acquire some sound characteristics such as pitch, timbre, and breath. Pre-lingua uses a set of mini-games to evaluate sound characteristics. The activity consisted in the child pronouncing a certain vowel, where through play they detect the presence of sound with a suitable voice timbre and the car moves along until it reaches its target destination.

Other kinds of activities are also done on paper, such as the children drawing themselves, or putting together a character from pieces handed out to them, where they are required to choose parts of the body and face, and go on to piece them together (Fig. 2).

## 5 Conclusions and Future Work

The purpose of this article is to identify elements of entertainment that can be incorporated into games for rehabilitation. It is therefore important to include the children in the design process, to find out their opinions. Moreover, not all children have the same abilities, so a means of communicating with them ought to be established. Existing methods of evaluation were adapted, in such a way that the motivation of the children could be captured and thus their views.

The evaluation provides support for following required guidelines and choosing techniques adapted to the characteristics of the child. In addition, follows user-centered design philosophy, in such a way that takes account of human and demographic factors of the children.

As future work, it is intended to incorporate evaluation methods that make it possible to abstract cognitive skills of the children and thus automatically adapt these evaluation methods according to the characteristics of each child.

## References

1. Sawyer, B., Smith, P.: Serious games taxonomy. In: Serious Game Summit, Game Developer Conference (2008)
2. Chen, S., Michael, D.: Serious Games: Games that Educate, Train and Inform. Thomson Course Technology, Boston (2005)
3. Melonio, A., Gennari R.: How to design games for deaf children: evidence-based guidelines. In: Workshop on Evidence-Based Technology Enhanced Learning, pp. 83–92 (2013)
4. Gonzalez, C., Collazos, C., Gonzalez, J.L., Toledo, P., Blanco, F.: The importance of human factors to enhance the user experience in videogames. In: Computers in Education International Symposium, pp. 29–31 (2012)
5. Britain, M., Bolchini, D. Usability evaluation for health video games: a library of inspection heuristics. In Proceedings of 1st Midwestern Conference on Health Games, pp. 1–5 (2010)
6. Read, J.C., MacFarlane, S.J., Casey, C.: Endurability, engagement and expectations: measuring children's fun. In: Proceedings of IDC 2002, Eindhoven, The Netherlands, pp. 189–198 (2002)
7. Hanna, L., Risdien, K., Czerwinski, M., Alexander, K.: The role of usability research in designing children's computer products. In: Druin A. (ed.) The Design of Children' Technology, pp. 3–26. Morgan Kaufman, San Francisco (1999)
8. Barendregt, W., Bekker, M., Bouwhuis, D.D., Bauuw, W.: Identifying usability and fun problem in a computer game during first use and some practice. *Int. J. Hum. Comput. Int.* **64**(9), 830–846 (2006)
9. ISO 9241-11 Ergonomic requirements for office work with visual display terminals (VTDs), part 11 (1994)
10. Nielsen, J.: Designing Web Usability. New Riders, Indianapolis (2000). ISBN 156205810X
11. ISO 9241-210: Ergonomics of human system interaction - Part 210: human-centred design for interactive systems. International Organization for Standardization (2009)
12. Wang, H., Shen, C., Ritterfeld, U.: Enjoyment of digital games. What makes them "seriously" fun? In: Ritterfeld, U., Cody, M., Vorderer, P. (eds.) Serious Games. Routledge, New York, London (2009)
13. Archambault, D., Gaudy, T., Miesenberger, K., Natkin, S., Ossmann, R.: Towards generalised accessibility of computer games. In: Pan, Z., Zhang, X., Rhalibi, A., Woo, W., Li, Y. (eds.) Edutainment 2008. LNCS, vol. 5093, pp. 518–527. Springer, Heidelberg (2008). doi: [10.1007/978-3-540-69736-7\\_55](https://doi.org/10.1007/978-3-540-69736-7_55)
14. Van Kesteren, I., Bekker, M., Vermeeren, A., Lloyd, P.: Assessing usability evaluation methods on their effectiveness to elicit verbal comments from children subjects. In: Proceedings Conference on Interaction Design and Children, pp. 41–49 (2003)
15. Markopoulos, P., Read, J., MacFarlane, S., Hoysniemi, J.: Evaluating Children's Interactive Products. Morgan Kaufman Publishers, San Francisco (2008)
16. Ling, D., Moheno, C.: El maravilloso sonido de la palabra: programa auditivo-verbal para niños con pérdida auditiva. Editorial Trillas (2002)
17. de Giacomo, A., Craig, F., D'Elia, A., Giagnotti, F., Matera, E., Quaranta, N.: Children with cochlear implants: cognitive skills, adaptive behaviors, social and emotional skills. *Int. J. Pediatr. Otorhinolaryngol.* **77**(12), 1975–1979 (2013)
18. Chao, W.-C., Lee, L.-A., Liu, T.-C., Tsou, Y.-T., Chan, K.-C.: Behaviour problems in children with cochlear implants. *Int. J. Pediatr. Otorhinolaryngol.* **79**, 648–653 (2015)
19. Van Kesteren, I., Bekker, M., Vermeeren, A., Lloyd, P.: Assessing usability evaluation methods on their effectiveness to elicit verbal comments from children subjects. In: Proceedings Conference on Interaction Design and Children, pp. 41–49 (2003)

20. Xu, D., Read, J., Sim, G., McManus, B.: Experience it, draw it, rate it. capture children's experiences with their drawings. In: Proceedings of IDC. ACM Press (2009)
21. Barendregt, W., Bekker, T.: exploring the potential of the drawing intervention method for design and evaluation by young children. In: CHI 2013, Extended Abstracts on Human Factors in Computing Systems, pp. 193–198 (2013)
22. Markopoulos, P., Read, J., MacFarlane, S., Hoysniemi, J.: Evaluating Children's Interactive Products. Morgan Kaufman Publishers, San Francisco (2008)
23. Donker, A., Markopoulos, P.: A comparison of think-aloud, questionnaires and interviews for testing usability with children. In: Proceedings of HCI 2002, pp. 305–316. Springer, London (2002)
24. Barendregt, W., Berkker, M.M., Baauw, E.: Development and evaluation of the problem identification picture cards method. *Cogn. Technol.* **10**(2), 95–105 (2008)
25. Javier, M., Sandra, B., Eva, C.: Bridging the gap between children and tabletop designers. In: Proceedings of the 9th International Conference on Interaction Design and Children, pp. 98–107 (2010)
26. Zaman, B.: Introducing contextual laddering to evaluate the likeability of games with children. *Cogn. Technol. Work* **10**(2), 107–117 (2008)
27. Baauw, E., Markopoulos, P.: A comparison of think-aloud and post-task interview for usability testing with children. In: IDC 2004, Proceedings of the 2004 Conference on Interaction Design and Children: Building a Community, pp. 115–116 (2004)
28. Cano, S.P., González, C.S., Collazos, C.A., Arteaga, J.M., Zapata, S.: Agile software development process applied to the serious games development for children from 7 to 10 years old. *Int. J. Inf. Technol. Syst. Approach* **8**(2), 64–79 (2015)
29. Read, J.C.: Validating the fun toolkit: an instrument for measuring children's opinions of technology. *Cogn. Technol. Work* **10**(2), 119–128 (2007)
30. Druin, A.: The role of children in the design of new technology. *Behav. Inf. Technol.* **21**, 1–25 (2002)
31. González, C., Navarro, V.: Métodos y técnicas de evaluación emocional para niños y niñas en videojuegos activos. En Actas XVI Congreso INTERACCIÓN 2015. Vilanova i la Geltrú, España (2015)
32. Sim, G., Horton, M.: Investigating children's opinions of games: fun toolkit vs this or that. In: Proceedings of the 11th International Conference on Interaction Design and Children, pp. 70–77 (2012)
33. Zaman, B.: Evaluating games with children. In: Proceedings of Interact 2005 Workshop on Child Computer Interaction: Methodological Research, Rome, Italy (2005)
34. Barendregt, W., Bekker, M.M., Baauw, E.: Development and evaluation of the problem identification picture cards method. *Cogn. Technol. Work* **10**(2), 95–105 (2008)
35. Van Dijk, E.M.A.G., Lingnau, A., Kockelkorn, H.: Measuring enjoyment of an interactive museum experience. In: Proceedings of the 14th ACM International Conference on Multimodal Interaction, pp. 249–256 (2012)
36. Gonzalez, C.S., Cairós, M., Navarro, V.: EMODIANA: Un instrumento para la evaluación subjetiva de emociones en niños y niñas. Actas Congreso Interacción (2013)
37. Chin, J., Diehl, V., Norman, K.: Development of an instrument measuring user satisfaction of the human-computer interface. In: Proceedings of ACM CHI 1988 Conference on Human Factors in Computing Systems, pp. 213–218 (1988)
38. Lund, A.M.: Measuring usability with the USE questionnaire. STC Usability SIG Newsletter (2001)

39. Ijsselstein, W.A., de Kort, Y.A.W., Poels, K.: The game experience questionnaire: development of a self-report measure to assess the psychological impact of digital games. Manuscript in preparation (2008)
40. Rauschenberger, M., Schrepp, M., Olschner, S., Thomaschewski, J., Cota, M.P.: Measurement of user experience. a spanish language version of the User Experience Questionnaire (UEQ). In: Rocha, A., Calvo-Manzano, J.A., Reis, L.P., Cota, M.P. (eds.) *Sistemas y Tecnologías de Información- Actas de la 7a conferencia ibérica de Sistemas y Tecnologías de la Información* (2012)
41. Baauw, E., Markopoulos, P.: A comparison of think-aloud and post-task interview for usability testing with children. In: *IDC 2004, Proceedings of the 2004 Conference on Interaction Design and Children: Building a Community*, pp. 115–116 (2004)
42. Cano, S., Arteaga, J.M., Collazos, C.A., Amador, V.B.: Model for analysis of serious games for literacy in deaf children from a user experience approach. In: *Proceedings of the XVI International Conference on Human Computer Interaction*, pp. 1–9 (2015)
43. Cano, S., Peñeñory, V., Collazos, C., Fardoun, H., Alghazzawi, D.: Training with Phonak: serious game as support in auditory - verbal therapy for children with cochlear implants. In: *3rd Workshop on ICTs for Improving Patients Rehabilitation Research Techniques*, Lisbon, Portugal (2015)